



**WEST BENGAL POLLUTION CONTROL BOARD**  
**Paribesh Bhawan, 10A, Block LA, Sertor III**  
**Salt Lake City, Bidhan Nagar, Kolkata – 700 106, INDIA**  
Website : www.wbpcb.gov.in, e-mail : wbpcbnet@wbpcb.gov.in

**Validity Period :18/10/2022 To 30/09/2029**

**Category: RED**

**Application Type: CTE**

**Ref No. - WBPCB/2597270/2022**

**Dated:- 18/10/2022**

**Sub : Consent to Establish (CTE) under Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981as amended.**

Ref.: Application No 2597270

Dated : 22/09/2022

**To ,**

Shri SURENDRA PRASAD SINGH  
M/s SNG ENVIROSOLUTIONS PRIVATE LIMITED  
Plot nos. 9571, 9519, 9520, 9521, 9541, 9543, 9544, 9554, 9555, 9556, 9557, 9558, 9559, 9562, 9563, 9566, 9567, 9568, 9569, 9570 Mouza - Saharjora, J.L. no 26, P.S.- Barjora, Dist – Bankura, West Bengal, PIN – 722202

The West Bengal Pollution Control Board (hereinafter referred to as the State Board) hereby grants Consent to Establish (CTE) from environmental point under Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended and rules and orders made thereunder for proposed new unit of SNG ENVIROSOLUTIONS PRIVATE LIMITED, at -Plot nos. 9571, 9519, 9520, 9521, 9541, 9543, 9544, 9554, 9555, 9556, 9557, 9558, 9559, 9562, 9563, 9566, 9567, 9568, 9569, 9570 Mouza - Saharjora, J.L. no 26, P.S.- Barjora, Dist – Bankura, West Bengal, PIN – 722202, District-Bankura for the following activities :

Products Details	S.No	Name of Activity/Product and By-Product	Production Capacity
	1	1 Nos. shredder	250 Kg/Hour
	2	2 Nos. of incinerator each of capacity	250 Kg/Hour
	3	1 Nos. of autoclave each of capacity	1000 Liters
<b>Total cost of the Project (in Lakhs)</b>	600.0		

**(A) General Conditions :**

- (1) The quality of sewage and trade effluent to be discharged from the factory shall satisfy the permissible limits as per norms and Environment (Protection) Rules 1986.
- (2) The unit shall apply to the State Board for Consent for Operation according to the provisions of the Water (Prevention & Control of Pollution) Act, 1974 as amended and the Air (Prevention & Control Pollution) Act, 1981 as amended prior to commencement of activities of the unit.
- (3)The unit shall comply with the following Environmental Acts and Rules and its amendment as applicable
  - (i) The Water (Prevention and Control of Pollution) Act, 1974 .


- (ii) The Air (Prevention and Control of Pollution) Act, 1981
  - (iii) The Environment (Protection) Act, 1986
  - (iv) The Public Liability Insurance Act, 1991
  - (v) The Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989
  - (vi) The Ozone Depleting Substances (Regulation and Control) Rules, 2000
  - (vii) The Batteries (Management and Handling) Rules, 2001
  - (viii) The Noise Pollution (Regulation and Control) Rules, 2000
  - (ix) The Bio-medical Wastes Management Rules, 2016
  - (x) The Hazardous Wastes (Management and Transboundary Movement) Rules, 2016
  - (xi) The Plastic Waste Management Rules, 2016
  - (xii) The Solid Waste Management Rules, 2016
  - (xiii) The E-Waste (Management and Handling) Rules, 2016
  - (xiv) The Construction and Demolition Waste Management Rules, 2016
- (4) The State Board reserves the right to review, amend, suspend, revoke etc. this consent for establishment and the same shall be binding on the unit
- (5) The unit shall obtain permission/clearance from the other competent authorities, as applicable and such permissions may be required at the time of submitting application for Consent for Operation.
- (6) The unit shall abide by the stipulations as may be prescribed by any authority / local body / government departments etc.
- (7) Suitable measures to treat the effluent and emission shall be adopted in order to reduce the pollution load so that the quality of the effluent and emission from the unit always conforms to the relevant permissible standards.
- (8) No equipment/machinery, emission and effluent generation/discharge source etc. shall be installed/modified without prior approval of the State Board.

(B)

**Special Conditions:**

Attached(2 pages)

**Any Violation of the aforesaid Conditions shall entail cancellation of this Consent to Establish**



**For and on behalf of West Bengal Pollution Control Board**

18/10/2022

**CE(EIM CELL)**

Special conditions issued to **M/s SNG Envirosolutions Pvt. Ltd. for the proposed Common Biomedical Waste Treatment Facility at Plot nos. 9571, 9519, 9520, 9521, 9541, 9543, 9544, 9554, 9555, 9556, 9557, 9558, 9559, 9562, 9563, 9566, 9567, 9568, 9569, 9570, Mouza – Saharjora, JL no. 26, PS – Barjora, Dist – Bankura, Pin – 722202, West Bengal (Application no. 2597270)**

**A) Emission :**

- (i) Incinerator (Dual Chambered) of capacity (250 kg/hr) – 02 nos. to be equipped with rapid quencher, venturi scrubber and dry scrubber, and stack of height minimum 30m from GL.
- (ii) D.G. Set (100 KVA) – 01 no. (stand by) – to be provided with 2.5 m chimney above the roof of the generator room with acoustic enclosure and residential silencer.

Stacks to have sampling port, platform and ladder as per Emission Regulation Part III of CPCB.

**B) Effluent :**

- i. Process: To be treated in adequately designed effluent treatment plant and recycled. Zero discharge condition to be maintained.
- ii. Domestic: to be discharged through septic tank to soak pit.

**C) Solid Waste :** (i) Incinerator ash should be stored in a separate area under shed and disposed to authorised TSDF.

(ii) Hazardous Waste to be collected and disposed of as per the Hazardous Wastes (Handling and Trans-boundary Movement) Rules, 2016 and its subsequent amendments.

(iii) Municipal solid waste to be disposed off regularly as per the Solid Waste Management Rules, 2016 and its subsequent amendments.

**D) General :**

- 1) Noise Control - Ambient noise level not to exceed the permissible limit. Every care to be taken for control noise.
- 2) No additional machinery / equipment can be installed without permission from this Board.
- 3) The standards/guidelines for control of noise from stationary D.G. Sets prescribed under notification of Ministry of Environment & Forest, Govt. of India dated 22.12.1998 viz. Environment (Protection)(Second Amendment) Rules 1998 to be followed.
- 4) The unit should comply with the provisions of the Bio-Medical Waste Management Rules, 2016 and its amendments thereafter.
- 5) Ground water shall not be abstracted without prior permission of the competent authority as per The West Bengal Ground Water Resources (Management, Control and Regulation) Act, 2005.

Special conditions issued to **M/s SNG Envirosolutions Pvt. Ltd. for the proposed Common Biomedical Waste Treatment Facility at Plot nos. 9571, 9519, 9520, 9521, 9541, 9543, 9544, 9554, 9555, 9556, 9557, 9558, 9559, 9562, 9563, 9566, 9567, 9568, 9569, 9570, Mouza – Saharjora, JL no. 26, PS – Barjora, Dist – Bankura, Pin – 722202, West Bengal (Application no. 2597270)**

- 6) Adequate provision for rain water harvesting should be made. Recharging of Ground water is not permitted.
- 7) All internal roads should be paved.
- 8) NOC may be revoked by the State Board, in case of failure of implementation of the above conditions.
- 9) Green belt to be developed over at least 33% of total project area within plant premises.
- 10) Conditions laid down in the Environmental Clearance obtained for the project from SEIAA, West Bengal vide EC Identification No. EC22B057WB142117 File no. EN/T-II-1/024/2022 dated 19.09.2022 must be strictly complied with.
- 11) “Consent to Operate” and Authorization to be obtained for the same from the State Board.
- 12) Land conversion certificate/permission and other statutory licenses as applicable to be obtained from competent authorities.
- 13) All the activities regarding waste management must be done strictly in accordance with the concerned Acts and Rules prevailing.
- 14) Every care must be taken for mitigating odour problem.
- 15) Good house-keeping to be maintained.
- 16) This NOC is valid up to 30.09.2029 for setting up the common waste management facility.