

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block - LA, Sector III, Bidhannagar
Kolkata - 700 106



BMW Authorisation No. : D0013749

Memo No. 26-2S(BM)-39/2023

Date 21.06.2023

FORM - III

AUTHORIZATION

(Authorization for operating a facility for generation, Collection, reception, treatment, storage, transport and disposal of biomedical wastes as per the Bio-Medical Waste Management Rules, 2016)

1. M/s. SNG Envirosolutions Private Limited an occupier or operator of the facility located at Mouza - Saharjosa, P.O & P.S - Barjosa, Bankura - 722202 is hereby granted an Authorization for:

Activity (Please Tick)

- | | |
|--|---|
| <input type="checkbox"/> Generation, segregation | <input checked="" type="checkbox"/> Treatment or processing or conversion |
| <input checked="" type="checkbox"/> Collection | <input type="checkbox"/> Recycling |
| <input checked="" type="checkbox"/> Storage | <input checked="" type="checkbox"/> Disposal or Destruction |
| <input type="checkbox"/> Packaging | <input type="checkbox"/> Use |
| <input checked="" type="checkbox"/> Reception | <input type="checkbox"/> Offering for Sale/ Transfer |
| <input checked="" type="checkbox"/> Transportation | <input type="checkbox"/> Any other form of Handling |

2. M/s. SNG Envirosolutions Private Limited is hereby authorized for handling of biomedical waste as per the capacity given below:

- (i) Number of beds of HCF : N.A
- (ii) Number of healthcare facilities covered by CBMWTF : -
- (iii) Installed treatment and disposal capacity of biomedical wastes 6500.00 Kg per day through 1 x 250 Kg/hr Incinerator and Autoclave 1 x 1000lit/batch
- (iv) Area or distance covered by CBMWTF : *
- (v) Quantity of Biomedical waste handled, treated or disposed : 6500.00 Kg per day

Type of Waste Category

Quantity permitted for Handling

Yellow

Red

White (Translucent)

Blue

3. This authorization shall be in force for a period up to 30/06/2028 from the date of issue.
4. This authorization is subject to the conditions stated overleaf and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act., 1986.


[Signature] / 21.06.2023
Authorised Signatory of the State Board
Senior Environmental Engineer
Bio-medical W.M. cell

Terms and conditions of authorization :

1. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions as may be stipulated by the prescribed authority.

Additional Conditions :

1. The occupier/operator must handle & manage bio-medical wastes as prescribed in the Bio-Medical Waste Management Rules, 2016, ^{and its amendments thereafter} and take all steps to ensure that such waste is handled without any adverse effect to human health & the environment.
2. The occupier shall handle mercury bearing waste as per guidelines issued by CPCB for the "Environmentally Sound Management of Mercury Waste Generated from the Health Care Facilities".
3. Every authorized person shall maintain record related to generation, collection, temporary storage of bio-medical wastes in accordance with rules.
4. No untreated waste shall be stored onsite for more than 48 hours.
5. The applicant shall submit an Annual Report in Form-IV to the Board by 30th June every year for the period from January to December of the preceding year as required under the provisions (Rule-13) of the Bio-Medical Waste Management Rules, 2016 ^{and its amendments thereafter}
6. The West Bengal Pollution Control Board reserves its right to revoke, withdraw, make any reasonable variation of the conditions of change or alter this 'Authorization'.
7. Application for renewal of Authorization shall be filed at least ^{120 (one hundred & twenty)} ~~60 (sixty)~~ days before the date of expiry of this Authorisation.
8. ^{pl. see} Annexure I.


(Authorized Signatory of the State Board)
Senior Environmental Engineer
Bio-medical W.M. cell

