



TEST REPORT

ISSUED TO

SNG Envirosolutions Pvt. Ltd.
Arazi Balarambati, Dist.-Murshidabad
Sagardighi - 742237

REPORT NO : EFRAC/ENV/DXN/260320002
ISSUE DATE : 11/04/2026
REFERENCE NO : TRF
REF. DATE : 20/03/2026
PAGE NO : Page 1 of 5

KIND ATTENTION : Mr. Pintu Mukhopadhyay

SAMPLE DETAILS

SAMPLE REGISTRATION DETAILS

Sample Receipt Date & Time : 20/03/2026
Sample Registration Date : 20/03/2026
Sample Registration No : EFRAC/ENV/DXN/260320002/03/RA/00086
Sample Type/Particulars : Incinerator Stack

Batch No : NIL

Sample Quantity Received : 1 No
Sample Quantity Used : 1 No
Sample Drawn by : EFRAC
Start Of Sampling Date & Time : 19/03/2026
End Of Sampling Date & Time : N/A
Sampling Method : N/A
Sampler Name : Abhishek Das
Sample Condition : Fit for Analysis

SAMPLE ANALYSIS DETAILS

Analysis Starting Date : 22/03/2026
Analysis Completion Date : 08/04/2026

GENERAL INFORMATION ABOUT STACK

Stack Identification No. : Incinerator Stack	Stack Hight From Ground Level (m) : 30.0 m
Shape Of Stack : Circular	Hight Of Sampling Point From Ground Level (m) : 20.0 m
Stack Connected To : Incinerator	Stack Diameter At Sampling Point (m) : 0.4 m
Emmision Due To : Burning of LPG & Bio Medical Waste	Material Of Construction Of Stack : MS
Installed Capacity : 250 kg/hr	Platform & Ladder Type & Condition : Well & Permanent
Running Capacity : 240 kg/hr	Pollution Control Device : Dry Scrubbing System
Fuel Used : LPG	Fuel Consumption : 15 - 20 kg/hr
Remarks : NA	

TEST RESULTS

SL. NO.	PARAMETER	UOM	METHOD	LOQ	REQUIREMENTS	RESULTS
Dioxins & Furans						
1	1,2,3,4,6,7,8-Heptachlorodibenzo-P-Dioxin	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.00024	-	<0.00024
2	1,2,3,4,7,8-Hexachlorodibenzo-P-Dioxin	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0024	-	<0.0024
3	1,2,3,6,7,8-Hexachlorodibenzo-P-Dioxin	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0024	-	<0.0024
4	1,2,3,7,8,9-Hexachlorodibenzo-P-Dioxin	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0024	-	<0.0024
5	1,2,3,7,8-Pentachlorodibenzo-P-Dioxin	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.024	-	<0.024
6	2,3,7,8-Tetrachlorodibenzo-P-Dioxin	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.005	-	<0.005
7	Octachlorodibenzo-P-Dioxin	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.000015	-	<0.000015
8	1,2,3,4,6,7,8-Heptachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.00024	-	<0.00024
9	1,2,3,4,7,8,9-Heptachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.00024	-	<0.00024
10	1,2,3,4,7,8-Hexachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0024	-	<0.0024

LOQ Limit of Quantitation; **BLQ**: Below Limit of Quantitation; **UOM** :Unit of Measurement; **MAX** : Maximum **MIN** :Minimum; **NMT**Not More Than; **NLT**: Not Less Than. **PR**Present; **AB**Absent. **N/A**: Not Applicable. **TEQ**: Toxicity Equivalent **BDL**: Below Detection Limit
Results reported in Bold denotes "Out of Specification" parameters

Please refer Terms & Conditions mentioned at the last page after the end of Test Report



TEST REPORT

ISSUED TO

SNG Envirosolutions Pvt. Ltd.
Arazi Balarambati, Dist.-Murshidabad
Sagardighi - 742237

REPORT NO : EFRAC/ENV/DXN/260320002

ISSUE DATE : 11/04/2026

REFERENCE NO : TRF

REF. DATE : 20/03/2026

PAGE NO : Page 2 of 5

KIND ATTENTION : Mr. Pintu Mukhopadhyay

TEST RESULTS

SL. NO.	PARAMETER	UOM	METHOD	LOQ	REQUIREMENTS	RESULTS
Dioxins & Furans						
11	1,2,3,6,7,8-Hexachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0024	-	<0.0024
12	1,2,3,7,8,9-Hexachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0024	-	<0.0024
13	1,2,3,7,8-Pentachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.00072	-	<0.00072
14	2,3,4,6,7,8-Hexachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0024	-	<0.0024
15	2,3,4,7,8-Pentachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0072	-	<0.0072
16	2,3,7,8-Tetrachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.0005	-	<0.0005
17	Octachlorodibenzofuran	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.000015	-	<0.000015
18	Total Dioxins & Furans	ng.TEQ/Nm3	USEPA 23A/QA.16.4.73	0.01	Max:0.1	<0.01

Conclusion : The sample **Conforms** to the requirements as per CPCB guideline for incinerator stack emission monitoring for the above tested parameter(s) only. The concentrations of dioxins and furans are expressed in terms of Toxicity Equivalents (TEQ). This Statement is drawn on the basis of the Results Obtained for the Tested Parameters only.



Tarun Pravendra Tiwari
Authorized Signatory



TEST REPORT

ISSUED TO

SNG Envirosolutions Pvt. Ltd.
Arazi Balarambati, Dist.-Murshidabad
Sagardighi - 742237

REPORT NO : EFRAC/ENV/DXN/260320002
ISSUE DATE : 11/04/2026
REFERENCE NO : TRF
REF. DATE : 20/03/2026
PAGE NO : Page 3 of 5

KIND ATTENTION : Mr. Pintu Mukhopadhyay

SAMPLE DETAILS

SAMPLE REGISTRATION DETAILS

Sample Receipt Date & Time : 20/03/2026
Sample Registration Date : 20/03/2026
Sample Registration No : EFRAC/ENV/DXN/260320002/03/MT/00015
Sample Type/Particulars : Incinerator Stack
Batch No : NIL

Sample Quantity Received : 1 No
Sample Quantity Used : 1 No
Sample Drawn by : EFRAC
Start Of Sampling Date & Time : 19/03/2026
End Of Sampling Date & Time : N/A
Sampling Method : N/A
Sampler Name : Abhishek Das
Sample Condition : Fit for Analysis

SAMPLE ANALYSIS DETAILS

Analysis Starting Date : 21/03/2026 Analysis Completion Date : 25/03/2026

GENERAL INFORMATION ABOUT STACK

Stack Identification No. : Incinerator Stack	Stack Hight From Ground Level (m) : 30.0 m
Shape Of Stack : Circular	Hight Of Sampling Point From Ground Level (m) : 20.0 m
Stack Connected To : Incinerator	Stack Diameter At Sampling Point (m) : 0.4 m
Emmision Due To : Burning of LPG & Bio Medical Waste	Material Of Construction Of Stack : MS
Installed Capacity : 250 kg/hr	Platform & Ladder Type & Condition : Well & Permanent
Running Capacity : 240 kg/hr	Pollution Control Device : Dry Scrubbing System
Fuel Used : LPG	Fuel Consumption : 15 - 20 kg/hr
Remarks : NA	

TEST RESULTS

SL. NO.	PARAMETER	UOM	METHOD	LOQ	REQUIREMENTS	RESULTS
Metals & Minerals						
1	Mercury & its Compounds	mg/Nm ³	USEPA 29 : 2017	0.003	-	<0.003

Conclusion : Nil



Tarun Pravendra Tiwari
Authorized Signatory



TEST REPORT

ISSUED TO

SNG Envirosolutions Pvt. Ltd.
Arazi Balarambati, Dist.-Murshidabad
Sagardighi - 742237

REPORT NO : EFRAC/ENV/DXN/260320002
ISSUE DATE : 11/04/2026
REFERENCE NO : TRF
REF. DATE : 20/03/2026
PAGE NO : Page 4 of 5

KIND ATTENTION : Mr. Pintu Mukhopadhyay

SAMPLE DETAILS

SAMPLE REGISTRATION DETAILS

Sample Receipt Date & Time : 20/03/2026	Sample Quantity Received : 1 No
Sample Registration Date : 20/03/2026	Sample Quantity Used : 1 No
Sample Registration No : EFRAC/ENV/DXN/260320002/03/WC/00012	Sample Drawn by : EFRAC
Sample Type/Particulars : Incinerator Stack	Start Of Sampling Date & Time : 19/03/2026
	End Of Sampling Date & Time : N/A
Batch No : NIL	Sampling Method : IS / EPA / CPCB
	Sampler Name : Abhishek Das
	Sample Condition : Fit for Analysis

SAMPLE ANALYSIS DETAILS

Analysis Starting Date : 21/03/2026 Analysis Completion Date : 28/03/2026

GENERAL INFORMATION ABOUT STACK

Stack Identification No. : Incinerator Stack	Stack Hight From Ground Level (m) : 30.0 m
Shape Of Stack : Circular	Hight Of Sampling Point From Ground Level (m) : 20.0 m
Stack Connected To : Incinerator	Stack Diameter At Sampling Point (m) : 0.4 m
Emmision Due To : Burning of LPG & Bio Medical Waste	Material Of Construction Of Stack : MS
Installed Capacity : 250 kg/hr	Platform & Ladder Type & Condition : Well & Permanent
Running Capacity : 240 kg/hr	Pollution Control Device : Dry Scrubbing System
Fuel Used : LPG	Fuel Consumption : 15 - 20 kg/hr
Remarks : NA	

TEST RESULTS

SL. NO.	PARAMETER	UOM	METHOD	LOQ	REQUIREMENTS	RESULTS
Physical & Chemical						
1	Hydrochloric Acid	mg/Nm3	USEPA Method 26A : 2017	N/A	MAX: 50.0	1.33, 1.66 (@ 11% O2 Correction)
2	Oxides of Nitrogen (NOX)	mg/Nm3	EPA Method 7E : 2020	-	MAX: 400.0	55.23, 60.65 (@ 11% O2 Correction)
3	Particulate Matter	mg/Nm3	IS 11255 (Part 1) : 1985 (RA 2003)	-	MAX: 50.0	26.47, 33.09 (@ 11% O2 Correction)

TEST REPORT

ISSUED TO SNG Envirosolutions Pvt. Ltd. Arazi Balarambati, Dist.-Murshidabad Sagardighi - 742237	REPORT NO : EFRAC/ENV/DXN/260320002 ISSUE DATE : 11/04/2026 REFERENCE NO : TRF REF. DATE : 20/03/2026 PAGE NO : Page 5 of 5
KIND ATTENTION : Mr. Pintu Mukhopadhyay	

TEST RESULTS

SL.NO.	PARAMETER	UOM	METHOD	LOQ	REQUIREMENTS	RESULTS
Physical & Chemical						
4	Combustion Efficiency	%	CPCB Emission Regulation (Part 3) : 1985	N/A	-	99.91

Conclusion : The Sample **Conforms** to the requirements of CPCB Guidelines for Incinerator Stack Emission Monitoring with 11% O2 Correction. This Statement is drawn on the basis of the Results Obtained for the Tested Parameters only.



Kaushik Mondal
Authorized Signatory

END OF THE TEST REPORT

LOQ Limit of Quantitation; **BLQ**: Below Limit of Quantitation; **UOM** :Unit of Measurement; **MAX** : Maximum **MIN** :Minimum; **NMT**Not More Than; **NLT**: Not Less Than. **PR** Present; **AB**Absent.
N/A: Not Applicable. **TEQ**: Toxicity Equivalent **BDL**: Below Detection Limit
Results reported in Bold denotes "Out of Specification" parameters

Please refer Terms & Conditions mentioned at the last page after the end of Test Report

SERVICES TERMS & CONDITIONS

These are the summary of Services Terms & Conditions ("T&C"), which shall apply to all services provided by Edward Food Research and Analysis Centre Limited ("EFRAC") to its Clients. These T&C override any general purchase conditions of the Client unless a separate written agreement is signed. If such agreement is silent on certain topics, these T&C shall prevail. For detailed Terms & Conditions, please visit:

🔗 <https://efrac.org/wp-content/brochure/Terms-Conditions-for-EFRAC-Services%20.pdf>

1. DEFINITIONS

Includes definitions of "Client", "Sample", "Report", "Client Data", "Personal Data", "Confidential Information", "Force Majeure", and "Intellectual Property". Full definitions are detailed in the full T&C document linked above.

2. SERVICES

EFRAC provides services under a mutually agreed Quotation and Purchase Order. It may decline services at its discretion and subcontract them with continued responsibility. Insufficient samples may lead to service cancellation.

3. REPORTS

Reports reflect findings from the samples analyzed and are not applicable to entire lots. Reports are objective and independent and must not be misused or selectively presented. Clients are responsible for their use of the reports.

4. PAYMENTS

Payments must be made within the agreed time (generally 30 days). Delays incur 1.5% monthly interest. Non-payment may result in suspension of services. All applicable taxes and bank charges are to be borne by the Client.

5. LIABILITY AND INDEMNIFICATION

EFRAC is not an insurer or guarantor. Liability is limited to direct damages from gross negligence, capped at the service fee. Clients must indemnify EFRAC against third-party claims, misuse of reports, and violations of laws.

6. TERMINATION

EFRAC may terminate or suspend services without liability if the Client breaches obligations, delays payment, or becomes insolvent.

7. DATA PROTECTION & CONFIDENTIALITY

EFRAC protects Personal Data as per its Privacy Policy. Confidential information is safeguarded during service and for five years after termination, with disclosure only under legal obligation.

8. INTELLECTUAL PROPERTY

EFRAC retains all rights to its intellectual property. Clients may use deliverables post full payment under a limited, non-transferable license. Unauthorized use or sharing is prohibited.

9. FORCE MAJEURE

EFRAC is not liable for delays caused by uncontrollable events (e.g., natural disasters, strikes, government actions). Clients are to compensate EFRAC for the work done until the force majeure event.

10. MISCELLANEOUS

Includes statements on independence, subcontracting, severability and assignment restrictions.

11. GOVERNING LAW & JURISDICTION

These T&C are governed by Indian law, and any disputes shall fall under the exclusive jurisdiction of the courts in Kolkata.